

9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449

Email: customerservice@iatl.com

CERTIFICATE OF ANALYSIS

Client: Garden State Environmental, Inc.

Report Date:

8/31/2023

555 S Broad St. Ste. K

Report No.:

688833 - Lead Water

Project: Glen Rock NJ 07452

Cedar Grove North End Elementary School

Project No.:

LEAD WATER SAMPLE ANALYSIS SUMMARY

Lab No.: 7664474

Client: GAR373

Location: Bottle Filler Outside Faculty Room Initial

Result(ppb):<1.00

Client No.: NEES-1-BF-02A

* Sample acidified to pH <2.

Lab No.: 7664475

Location: Bottle Filler Outside Faculty Room 30 Sec

Result(ppb): Sample Not Analyzed

Client No.: NEES-1-BF-02B

* Sample acidified to pH <2.

Location: Field Blank

Result(ppb):<1.00

Lab No.:7664476 Client No.: NEES-8-25-FBA

* Sample acidified to pH <2.

Lab No.:7664477

Location: Field Blank

Client No.: NEES-8-25-FBB

* Sample acidified to pH <2.

Result(ppb): Sample Not Analyzed

Please refer to the Appendix of this report for further information regarding your analysis.

Date Received:

8/28/2023

Date Analyzed:

08/31/2023

Approved By:

Frank E. Ehrenfeld, III Laboratory Director

Signature: Analyst:

Chad Shaffer

Dated: 8/31/2023 1:21:16

Page 1 of 3



9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449 Email: customerservice@iatl.com

CERTIFICATE OF ANALYSIS

Client: Garden State Environmental, Inc. Report Date: 8/31/2023

555 S Broad St. Ste. K Report No.: 688833 - Lead Water

Glen Rock NJ 07452 Project: Cedar Grove North End Elementary School

Project No.: 8486

Client: GAR373

Appendix to Analytical Report:

Customer Contact: Send ALL Lab Reports Analysis: AAS-GF - ASTM D3559-08D

This appendix seeks to promote greater understanding of any observations, exceptions, special instructions, or circumstances that the laboratory needs to communicate to the client concerning the above samples. The information below is used to help promote your ability to make the most informed decisions for you and your customers. Please note the following points of contact for any questions you may have.

iATL Customer Service: customerservice@iatl.com iATL OfficeManager: ?wchampion@iatl.com iATL Account Representative: Kelly Klippel Sample Login Notes: See Batch Sheet Attached

Sample Matrix: Water

Exceptions Noted: See Following Pages

General Terms, Warrants, Limits, Qualifiers:

General information about iATL capabilities and client/laboratory relationships and responsibilities are spelled out in iATL policies that are listed at www.iATL.com and ir our Quality Assurance Manual per ISO 17025 standard requirements. The information therein is a representation of iATL definitions and policies for turnaround times, sample submittal, collection media, blank definitions, quantification issues and limit of detection, analytical methods and procedures, sub-contracting policies, results reporting options, fees, terms, and discounts, confidentiality, sample archival and disposal, and data interpretation.

iATL warrants the test results to be of a precision normal for the type and methodology employed for each sample submitted. iATL disclaims any other warrants, expressed or implied, including warranty of fitness for a particular purpose and warranty of merchantability. iATL accepts no legal responsibility for the purpose for which the client uses test results. Any analytical work performed must be governed by our Standard Terms and Conditions. Prices, methods and detection limits may be changed without notification. Please contact your Customer Service Representative for the most current information.

This confidential report relates only to those item(s) tested and does not represent an endorsement by NIST-NVLAP, AIHA LAP LLC, or any agency of local, state or province governments nor of any agency of the U.S. government.

This report shall not be reproduced except in full, without written approval of the laboratory.

Information Pertinent to this Report:

Analysis by AAS Graphite Furnace:

- ASTM D3559-08D

Certification:

- NYS-DOH No. 11021
- NJDEP No. 03863

Note: These methods are analytically equivalent to iATL's accredited method;

- USEPA 40CFR 141.11B
- USEPA 200.9 Pb, AAS-GF, RL <2 ppb/sample
- USEPA SW 846-7421 Pb(AAS-GF, RL <2 ppb/sample)

Regulatory limit for lead in drinking water is 15.0 parts per billion as cited in EPA 40 CFR 141.11 National Primary Drinking Water Regulations, Subpart B: Maximum contaminant levels for inorganic chemicals.

All results are based on the samples as received at the lab. iATL assumes that appropriate sampling methods have been used and that the data upon which these results are based have been accurately supplied by the client.

Sample results are not corrected for contamination by field or analytical blanks.

PPB = Parts per billion. 1 μ g/L = 1 ppb MDL = 0.24 PPB Reporting Limit (RL) = 1.0 PPB

Dated: 8/31/2023 1:21:16 Page 2 of 3



9000 Commerce Parkway Suite B Mt. Laurel, New Jersey 08054 Telephone: 856-231-9449 Email: customerservice@iatl.com

CERTIFICATE OF ANALYSIS

Client: Garden State Environmental, Inc.

555 S Broad St. Ste. K

Glen Rock NJ 07452

Client: GAR373

Report Date: 8

8/31/2023

Report No.:

688833 - Lead Water

Project:

Cedar Grove North End Elementary School

Project No.: 8486

Disclaimers / Qualifiers:

There may be some samples in this project that have a "NOTE:" associated with a sample result. We use added disclaimers or qualifiers to inform the client about something that requires further explanation. Here is a complete list with highlighted disclaimers pertinent to this project. For a full explanation of these and other disclaimers, please inquire at **customerservice@iatl.com**.


Matrix spiking is performed on each client batch to determine if interferences could impact results. When spike recoveries fall out of acceptable range matrix interference is suspected and samples are diluted until acceptable spike recovery can be achieved. Reporting limits will increase by the same degree as the dilution required.

Note: Sample dilution required due to matrix interference.

Water Sample Turbidity greater than 1.0 NTU does not meet Federal and NJ State Primary & Secondary Drinking Water Standards.

* ASTM D3559 (D) calls for the addition of acid at the time of sampling. Unless so noted on the chain of custody by the client iATL acidifies samples to a pH of <2 at least 24 hours prior to analysis.

Dated: 8/31/2023 1:21:16 Page 3 of 3





Chain of Custody - Environmental Lead -

Contact Informa	ntion		
200			0.400
Client Company:		Project Number:	8486
Office Address:	555 South Broad St.	Project Name:	Cedar Grove North End Elementary School
City, State, Zip:	Glen Rock, NJ, 07452	Primary Contact:	Kaitlynn Pinero
Fax Number:	201-652-0612	Office Phone:	201-652-1119
Email Address:	labreports@gseconsultants.com	Cell Phone:	
- WHITE SAME TO SAME THE SAME TO SAME THE SAME T			
environmental sam recognized state promatrix/Method: Paint by AAS Wipe/Dust by Air by AAS: Soil by AAS: Water by AA Other Metals	S: ASTM D3335-85a, 2009 AAS: SW 846: 3050B: 700B, 2010 NIOSH 7082, 1994 EPA SW 846 (Soil) S-GF: ASTM D3559-03D, US EPA 20 (Cd, Zn, Cr) by AAS racteristic Leaching Procedure (TCLP)	ough AIHA-LAP, L 00.9 by AAS: US EPA	LC and several other nationally
Turnaround Tir		[T	al Email DFax
Preliminary Results Re	Specific date / time	□Verb	al Email Fax
	10 Day 5 Day 3 Day 2 Day 1 Day business day unless otherwise specified. ** Matrix		
01			10.000000000000000000000000000000000000
Chain of Custod		D . 0.05.00	T. C. 7.500m
Relinquished (Nane /	ne/Organization): Kaitlynn Pinero (GSE)	Date: 8-25-23	Time: 1:50pm.; V
Sample Login (Na		Date:	Time:
Analysis(Name(s)		Date: Date:	Time:
QA/QC Review (N		Date:	Time: AUG 20 249
Archived / Release		Date:	Time:
	4.2 4.2 moran 2001		
examinative resources and a resource			



Sample Log

-Environmental Lead -

Client: Garden State Environmental, inc.			8486: Cedar Grove North End Elementary School Project:		
Sampling Date/Time:	3-25-23	@	7:25am	ě	

Client Sample #	iATL#	Location/ Description	Flow Rate	Start End	Sampling time (min)	Area (ft2) Volume (L)	Results
NEES-1-BF-02A	7664474	Bottle Filler outside Faculty room	-	7:27 am	Initial		
NEES-1-BF-02B	76644 75	Bottle Filler outside Faculty room	-	7:29 am	30 Sec		
NEES-8-25-FBA	7664476	Field Blank	-	-	Initial		
NEES-8-25-FBB	7664477	Field Blank	-	-	Flush		
	Acidified NS						
	Acidities ms						
				2000			
- 144							

^{* =} Insufficient Sample Provided to Perform QC Reanalysis (<200mg)

** = Insufficient Sample Provided to Analyze (<50mg) *** = Matrix / Substrate Interference Possible

FB = Method Requires the submittal of blank(s). ML = Multi Layered Sample. May result in inconsistent results.

These preliminary results are issued by iATL to expedite procedures by clients based upon the above data. iATL assumes that all of the sampling methods and data upon which these results are based, has been accurately supplied by the client. These results may not have been reviewed by the Laboratory Director. Final Certificate of Analysis will follow these preliminary results. The signed COA is to be considered the official results. All EPA, HUD, and NJDEP conditions apply.